EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	"02082794"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:19
S2	2	secur$4 same ((dual$4 two plural double) near2 (information adj2 process $4)) same (NAT (network adj address adj translation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:06
S3	5	((dual$4 two plural double) near2 (information adj2 process$4)) same (NAT (network adj address adj translation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:07
S4	3	server same ((dual$4 two plural double) near2 (information adj2 process $4)) same (NAT (network adj address adj translation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:08
S5	139	server same ((dual$4 two plural double) near2 (information adj2 process $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:09
S6	10	S5 and (reply same (transmit $4 receiv$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:09
S7	5	S5 and ((reply adj2 packet) same (transmit$4 receiv$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:12
S8	99	S5 and (range detect$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:15
S9	96	S8 and (range (transmit$4 receiv$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:15

S10	4	S9 and ((reply near2 packet) near2 (transmit$4 receiv$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:16
S11	132	(secur$4 protect$4 safe) and ((dual plural two double) near2 (information near2 processor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:19
S12	32	(secur$4 protect$4 safe) and ((dual plural two double) near2 (information near2 processor)) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:22
S13	1	server same ((dual$4 two plural double) near2 (information adj2 process $4)) same ((dual$4 two plural double) near2 (control $4 regulat$4 manag$6) near2 (unit device processor apparatus equipment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 10:54
S14	38	bubble adj packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 12:25
S15	240	(range near2 packet) near2 (transmit$4 receiv$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 12:37
S16	1	((dual$4 two plural double) near2 (process$4)) same ((dual$4 two plural double) near2 (NAT (network adj address adj translation)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 12:58
S17	92	(different$3 with port) and (range with port) and server and ("P2P" (peer$1to $1peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 14:20
S18	125	(different$3 with port) and ((range series pre-determined) with port) and server and ("P2P" (peer$1to $1peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 14:27

S19	1403	((transmit$4 receiv$4) near2 port) near2 ((range series pre-determined) (different $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:02
S20	257	S19 and server and (NAT (network address translator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:02
S21	25	S19 and server and (NAT ("network address translator"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:04
S22	72068	((range series pre-determined) with port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT	OR	ON	2008/09/30 16:27
S23	409	S22 and server and (NAT ("network address translator"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:27
S24	67	S22 and server and (NAT ("network address translator")) and ("P2p" (peer $1to$1peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:28
S25	749	(packet near2 transmit$3) and (reply near2 packet near2 receiv$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:49
S26	78	S25 and server and ("NAT" (network adj address adj translation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 16:49
S27	21	(((assign$5 select$5) near port) with secur$4) and (network adj address adj translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 07:29

S34	19	(((range series pre-determined) and (assign$5 select$5 different$4)) near port) and (network adj address adj translation) and (peer near4 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 08:32
S38	38	(((range series pre-determined) and (assign$5 select$5 different$4)) near port) and (peer near4 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 09:24
S39	970	(((range series pre-determined) and (assign$5 select$5 different$4)) near port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 10:11
S40	72	S39 and (network near address near translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 10:12
S41	2	"20060218624"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 11:27
S42	2	"20050210126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:39
S43	188	(peer near4 peer) and (range near2 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 15:18
S44	5	(peer near4 peer) and (network adj address adj translation) and (port near2 discovery)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 16:11
S48	58	((range interval span) near3 port) and ((delta differential offset) near3 port) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 11:43

S49	422	((delta differential offset) near3 port) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 12:14
S50	14	S49 and (network near address near translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 12:14
S51	61430	(even odd pattern) with port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:50
S52	663	((even odd pattern) with port) and (peer near4 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:53
S53	551	((even odd pattern) with port) and (peer near4 peer) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:53
S54	85	((even odd pattern) with port) and (peer near4 peer) and server and (network near address near translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:53
S55	7	((even odd pattern) near2 port) and (peer near4 peer) and server and (network near address near translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:54
S56	77	((even odd pattern) near2 port) and (peer near4 peer) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:54
S57	106	((even odd pattern) near2 port) and (peer near4 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:54

S58	57	((even odd pattern) near port) and (peer near4 peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:58
S59	5689	370/389.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 10:31
S60	318	S59 and ("network address translation")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/07 10:34
S61	103	((delta differential offset) near3 port) and (NAT (network near2 translation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:34
S62	2	(transmi$6 send$3) near3 (range spread$4 span$4 interval) near5 (port interface socket) near5 (after subsequent$3 succeed$3 thereafter) with (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:43
S63	4	(transmi$6 send$3) near3 (range spread$4 span$4 interval) near5 (port interface socket) with (after subsequent$3 succeed$3 thereafter) with (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:43
S64	28	(transmi$6 send$3) with ((range spread$4 span$4 interval) near5 (port interface socket)) with (after subsequent$3 succeed$3 thereafter) with (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:44
S65	37	(transmi$6 send$3) with ((range spread$4 span$4 interval) near5 (port interface socket)) with (after subsequent$3 succeed$3 thereafter) same (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:45
S66	9	S65 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:46

S67	38	(transmi$6 send$3 sent) with ((range spread$4 span$4 interval) near5 (port interface socket)) with (after subsequent$3 succeed$3 thereafter) same (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:51
S68	39	(transmi$6 send$3 sent communicate) with ((range spread$4 span$4 interval) near5 (port interface socket)) with (after subsequent$3 succeed$3 thereafter) same (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:52
S69	39	(transmi$6 send$3 sent communicate) with ((range spread$4 span$4 interval) near5 (port interface socket)) with (after subsequent$3 success$4 thereafter sequent$4) same (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:54
S70	1	S69 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:54
S71	1	"10576065" and (after with range with port with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 08:58
S72	1	"10576065" and (upper with lower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 09:00
S73	72	(transmi$6 send$3) with ((range spread$4 span$4 interval) with (port interface socket)) with (after subsequent$3 succeed$3 thereafter) same (server host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 09:02
S74	34	S73 not S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 09:02
S75	26	S74 and (@ad< "20041022" @rlad< "20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 09:02

S76	5	(packet message frame cell datagram) with reply$3 with ((range space interval) near3 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 11:30
S77	284	(transmi$6 send$3 sent) with ((range spread$4 span$4 interval) near5 (port interface socket)) with (after subsequent$3 succeed$3 thereafter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/11 11:30
S78	215	S77 and (@ad<"20041022" @rlad<"20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/11 11:31
S79	89	(transmi$6 send$3 sent) with ((range interval) near3 (port interface socket)) with (after subsequent$3 succeed$3 thereafter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/11 11:33
S80	60	S79 and (@ad<"20041022" @rlad<"20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/11 11:33
S81	38	((transmi$6 send$3 sent) near5 (after subsequent$3 succeed$3 thereafter)) with ((range interval) near3 (port interface socket))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/11 11:35
S82	2	"7031275".pn. and (range with port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 16:02
S83	2	"7031275".pn. and (registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 16:06

3/11/2009 5:27:18 PM
C:\ Documents and Settings\ pchau\ My Documents\ EAST\ Workspaces\ 10576065.wsp